

Overview

HP Engage One Prime Cash Drawer



Models

HP Engage One Prime Cash Drawer
HP Engage One Prime White Cash Drawer

638M5AA/AT
638M6AA/AT

Service and Support

Rest easy that your IT investment is supported by a three-year standard limited warranty.

Technical Specifications

Construction	Robust Steel
Key Lock	Keyed alike (#435)
Media Storage	1 media posting slot
Till Insert¹	4 bill/ 4 coin or 5 bill/ 8 coin
Lock Options	Electronic open, manual open, deadlocked
Dimensions (L x W x H)	336 x 336 x 101mm (13.22 x 13.22 x 3.97 inches)
Weight	5.0 kg (11 lb)
Color	Black/White
Connection Interface	RJ12/24V
Cable Length	1803 mm +/- 25.4mm (71" +/- 1")
Operating	5°C to 40°C (40°F to 105°F)
Storage/Transport	-40°C to 70°C (-40°F to 158°F)
Humidity (non-condensing)	10% to 95% relative humidity
Operating voltage	24VDC
Agency	CE, WEEE
Reliability	500,000 lifecycle
Kit Contents	HP Engage One Prime Cash Drawer, Till Insert, Interface cable for the HP Retail Printers, and documentation.
Optional accessory (sold separately)	HP Engage One Prime RJ12 Dual Cash Drawer Cable Kit (5UU45AA)

NOTE 1: Till insert and any media from the drawer should be removed before relocating or moving the POS system.

Summary of Changes

Date of change:	Version History:		Description of change:
	From v1 to v2		

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.